

AMENDMENT TO THE CLAIMS:

Please amend the Claims as follows with additions shown in underline and deletions shown as strikeouts:

1. ~~(PREVIOUSLY AMENDED)~~ ^{~~cancelled~~} A system for selecting and simultaneously displaying a plurality of digitally stored objects, comprising:

means for displaying digitally stored objects via a webpage;

means for selecting on said webpage a plurality of the displayed digitally stored objects, each displayed digitally stored object having at least one dynamically linked associated destination object; and

means for retrieving the at least one dynamically linked destination object for each selected one of the plurality of the displayed digitally stored objects together from a storage medium and then simultaneously displaying together the retrieved destination objects for viewing.

2. ~~(ORIGINAL)~~ ^{~~cancelled~~} The system according to Claim 1, further comprising means for providing a two-dimensional array of graphical thumbnails of the digitally stored objects.

3. ~~(ORIGINAL)~~ ^{~~cancelled~~} The system according to Claim 2, wherein the graphical thumbnails in the two-dimensional array can be selectively scrolled at any one of the plurality of speeds and can be selectively stopped from scrolling.

4. (~~ORIGINAL~~) The system according to Claim 2, wherein the graphical thumbnails in the two-dimensional array can be selectively scrolled vertically.

5. (~~ORIGINAL~~) The system according to Claim 2, wherein the graphical thumbnails in the two-dimensional array can be selectively scrolled horizontally.

DI
6. (~~ORIGINAL~~) The system according to Claim 2, wherein the two-dimensional array of graphical thumbnails have a selectively adjustable number of columns and rows.

7. (~~PREVIOUSLY AMENDED~~) The system according to Claim 1, further comprising means for sub-framing information associated with the selected plurality of digitally stored objects.

8. (~~PREVIOUSLY AMENDED~~) The system according to Claim 7, wherein the sub-framing means includes a horizontal dynamic scroll bar and a vertical dynamic scroll bar that allow an orderly arrangement and presentation of textural information.

9. (~~PREVIOUSLY AMENDED~~) The system according to Claim 1, wherein:
the selection means includes a different check box associated with each one of the plurality of digitally stored objects;

the retrieval means includes a submit button;

each one of the plurality of displayed digitally stored objects adapted to be

selected one at a time by using a computer input device to select a different check box such that a check appears in the check box; and

invoking the submit button using the computer input device retrieves together and simultaneously displays together the associated destination objects.

10. ~~CANCELLED~~ (PREVIOUSLY AMENDED) The system according to Claim 1, wherein:

the selection means includes a different check box associated with each one of the plurality of digitally stored objects;

the retrieval means includes a "go" button;

each one of the plurality of displayed digitally stored objects adapted to be selected one at a time by using a computer input device to select a different check box such that a check appears in the check box; and

invoking the "go" button using the computer input device retrieves together and simultaneously displays together the associated destination objects.

11. ~~CANCELLED~~ (PREVIOUSLY AMENDED) The system according to Claim 10, wherein single clicking on the selected check box de-selects a link to the associated destination object so that the check box reverts to being unchecked indicating that the associated destination object is un-selected.

12. ~~CANCELLED~~ (PREVIOUSLY AMENDED) The system according to Claim 1, wherein: the selection means is adapted to select each selected displayed digitally stored object of the selected plurality of displayed digitally stored objects one at a time by

pointing to a different link-token associated with each different one of the plurality of displayed digitally stored objects and, after all of the selected plurality of displayed digitally stored objects have been selected, single clicking a computer mouse button; and double clicking the computer mouse button retrieves together and simultaneously displays together the associated destination objects.

- D/
13. ~~(ORIGINAL)~~ ^{cancelled} The system according to Claim 12, wherein each one of the different associated link-tokens is a first color and each time one of the plurality of digitally stored objects is selected by single clicking the computer mouse button, the first color changes to a second color to indicate the selection of the digitally stored object.

14. ~~(PREVIOUSLY AMENDED)~~ ^{cancelled} The system according to Claim 13, wherein each one of the selected link-tokens changes to a third color when a browser returns to a list of the plurality of digitally stored objects from the retrieved and simultaneously displayed associated destination objects.

15. ~~(PREVIOUSLY AMENDED)~~ ^{cancelled} The system according to Claim 13, wherein single clicking on the selected link-token de-selects the link-token so that the link-token reverts to the first color indicating the de-selection of the link-token.

16. ~~(PREVIOUSLY AMENDED)~~ ^{cancelled} The system according to Claim 1, wherein the selection means comprises:

means for selecting the plurality of digitally stored objects one at a time by

pointing to and clicking on a different link-token associated with each different one of the plurality of digitally stored objects.

DI
17. ~~*cancelled*~~ (PREVIOUSLY AMENDED) The system according to Claim 16, wherein each one of the associated link tokens is a first color and each time one of the plurality of digitally stored objects is selected the first color changes to a second color to indicate the selection of the digitally stored object.

18. ~~*cancelled*~~ (ORIGINAL) The system according to Claim 1, wherein the selection means are employed and the retrieval means are invoked using a computer mouse having a first button and a second button, the plurality of digitally stored objects being selected one at a time by pointing to a different link-token associated with each different one of the plurality of digitally stored objects and clicking the first computer mouse button, and then after all of the plurality of digitally stored objects have been selected, clicking the second computer mouse button to retrieve and simultaneously display the associated destination objects.

19. ~~*cancelled*~~ (ORIGINAL) The system according to Claim 18, wherein a first one of the retrieved associated destination objects simultaneously displayed for viewing is made larger than the other simultaneously displayed destination objects by using a computer input device to invoke the first destination object.

20. ~~*cancelled*~~ (PREVIOUSLY AMENDED) The system according to Claim 18, wherein

when the computer input device is used to invoke a second one of the retrieved associated destination objects simultaneously displayed for viewing, the first destination object returns to the same smaller size of the other simultaneously displayed destination objects and the second destination object is made larger than the other simultaneously displayed destination objects.

DI
21. ~~(PREVIOUSLY AMENDED)~~ ^{cancelled} The system according to Claim 18, wherein each one of the different associated link-tokens is a first color and each time one of the digitally stored objects is selected using a computer input device, the first color changes to a second color to indicate the selection of the digitally stored object, and wherein the second color changes to a third color when a browser returns to a list of the displayed digitally stored objects from the retrieved and simultaneously displayed associated destination objects.

22. ~~(ORIGINAL)~~ ^{cancelled} The system according to Claim 1, wherein the system is used on a personal computer.

23. ~~(ORIGINAL)~~ ^{cancelled} The system according to Claim 1, wherein the system is used on a computer network.

24. ~~(PREVIOUSLY AMENDED)~~ ^{cancelled} The system according to Claim 1, wherein the system is used with a CD-ROM.

25. ~~(ORIGINAL)~~

The system according to Claim 1, wherein the system is used on a wireless device.

26. ~~(ORIGINAL)~~

The system according to Claim 1, wherein the system is implemented using software.

27. (PREVIOUSLY AMENDED) A method for selecting and simultaneously displaying a plurality of digitally stored objects, comprising the steps of:

displaying a two dimensional array of digitally stored objects;

selecting a plurality of digitally stored objects from the two dimensional array of digitally stored objects, wherein each one of the selected plurality of digitally stored objects has at least one dynamically linked associated destination object;

after the selecting step, retrieving the at least one dynamically linked destination object associated for each one of the selected plurality of digitally stored objects all together; and

simultaneously displaying all together each one of the retrieved associated destination objects.

28. (PREVIOUSLY AMENDED) The method according to Claim 27, wherein a different check box is associated with each one of the plurality of digitally stored objects and,

said selecting step comprises the steps of:


selecting each one of the plurality of digitally stored objects one at a time

by using a computer input device to invoke a different check box such that a check appears in the check box; and

said retrieving step includes the step of:

invoking a submit button using the input device to retrieve and simultaneously display the associated destination objects.

29. (PREVIOUSLY AMENDED) The method according to Claim 27, wherein said selecting step comprises the step of:



selecting each one of the plurality of digitally stored objects one at a time by using a computer mouse to point to a different token link associated with each different one of the plurality of digitally stored objects and single clicking a computer mouse button; and

said retrieving step comprises the step of:

after all of the digitally stored objects have been selected, double clicking the computer mouse button to retrieve and simultaneously display the associated objects.

30. (PREVIOUSLY AMENDED) The method according to Claim 27, wherein a computer mouse having a first button and a second button is used to select the plurality of digitally stored objects and to retrieve the associated destination objects,

said selecting step comprises the step of:

selecting each one of the plurality of digitally stored objects one at a time by pointing to a different token link associated with each different one of the

plurality of digitally stored objects and clicking a first computer mouse button while holding down a second computer mouse button, and said retrieving step comprises the step of:

after all of the digitally stored objects have been selected, clicking the first computer mouse button without holding the second computer mouse button to retrieve and simultaneously display the associated objects.

31. (PREVIOUSLY AMENDED) The method according to Claim 27, wherein primarily textual content associated with each one of the retrieved associated objects is sub-framed.

32. (CURRENTLY AMENDED) A system for displaying content viewed on a display device, comprising:

~~an electronic document page~~ a single electronic webpage displaying simultaneously together a plurality of scrolling sub-framed arrays, each sub-framed array containing a frame containing a plurality of thumbnails and a plurality of independently selectable sub-frames, each sub-framed array able to be independently and selectively stopped and scrolled at a selective speed by a viewer or website operator.

33. (PREVIOUSLY PRESENTED) The system according to Claim 32, wherein when a page loads for a first time a default category selected by a website operator is displayed, and when the page loads for a time other than the first time, a category

corresponding to the category last viewed by the viewer when they accessed the page is displayed.

34. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein each sub-framed array includes a progress bar indicating how much of the total array has been viewed, the bar also indicating the beginning and end of the sub-framed array.


35. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein when a viewer moves a cursor to a thumbnail of interest, the sub-framed array stops rolling and high level information regarding the thumbnail appears in a dialog box positioned approximate to the thumbnail of interest.

36. (PREVIOUSLY PRESENTED) The system according to Claim 32, wherein selecting a thumbnail of interest results in a larger image of the thumbnail appearing with more detailed information in a sub-frame that the viewer can scroll manually or that can be automatically scrolled.

37. (PREVIOUSLY PRESENTED) The system according to Claim 32, wherein when a viewer selects a thumbnail of interest, a border surrounding the thumbnail is highlighted.

38. (PREVIOUSLY PRESENTED) The system according to Claim 37, wherein a color of the highlighted border changes to indicate that the image has been selected and viewed.

39. (PREVIOUSLY PRESENTED) The system according to Claim 38, wherein if after viewing the thumbnail the viewer is not interested in the selected thumbnail, the viewer can close the image and the color of the highlighted border changes or disappears to indicate that the thumbnail was viewed but of no further interest to the viewer.



40. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein when a viewer removes a cursor from a thumbnail, the sub-framed array in which the thumbnail resides resumes scrolling.


41. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein the position of the thumbnail relative to the sub-frame array is selectively controllable by the viewer or a website operator.

42. (PREVIOUSLY PRESENTED) The system according to Claim 32, wherein the enlarged image of the thumbnail can be selectively programmed to remain on-screen, be minimized or pushed to the background.

43. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein the page can display any desired number of sub-frame arrays of interest, the sub-frame arrays able to be manually or automatically extended beyond the screen, scrolled horizontally and vertically, or resized so that all of the sub-frame arrays are viewable.

44. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein sub-frame arrays that have been selected can be enlarged and can include transactional commands to process a commercial transaction.

45. (PREVIOUSLY AMENDED) The system according to Claim 32, wherein the thumbnails display advertising.



46. (PREVIOUSLY PRESENTED) The system according to Claim 32, wherein the document page includes at least one textual link and at least one graphical link, each link representing a different category of information.

47. (PREVIOUSLY PRESENTED) The system according to Claim 46, wherein the document page includes at least one control element for controlling the textual and graphical links.

Serial No. 09/544,036

Lin-Hendel I

This Page Blank (uspto)